

CORRES. CONTROL
INCOMING LTR NO.

2773 RF 93

DUE
DATE

ACTION

DIST. LTR ENC

BENEDETTI, R.L.	<input checked="" type="checkbox"/>
BENJAMIN, A.	<input type="checkbox"/>
BERMAN, H.S.	<input type="checkbox"/>
CARNIVAL, G.J.	<input type="checkbox"/>
COPP, R.D.	<input type="checkbox"/>
CORDOVA, R.C.	<input type="checkbox"/>
DAVIS, J.G.	<input type="checkbox"/>
FERRERA, D.W.	<input type="checkbox"/>
HANNI, B.J.	<input type="checkbox"/>
HEALY, T.J.	<input type="checkbox"/>
HEDAHL, T.G.	<input type="checkbox"/>
HILBIG, J.G.	<input type="checkbox"/>
KIRBY, W.A.	<input type="checkbox"/>
KUESTER, A.W.	<input type="checkbox"/>
LEE, E.M.	<input type="checkbox"/>
MANN, H.P.	<input type="checkbox"/>
MARX, G.E.	<input type="checkbox"/>
McKENNA, F.G.	<input type="checkbox"/>
MORGAN, R.V.	<input type="checkbox"/>
PIZZUTO, V.M.	<input type="checkbox"/>
POTTER, G.L.	<input type="checkbox"/>
RILEY, J.H.	<input type="checkbox"/>
SANDLIN, N.B.	<input type="checkbox"/>
SATTERWHITE, D.G.	<input type="checkbox"/>
SCHUBERT, A.L.	<input type="checkbox"/>
SETLOCK, G.H.	<input type="checkbox"/>
SHEPLER, R.L.	<input type="checkbox"/>
SULLIVAN, M.T.	<input type="checkbox"/>
SWANSON, E.R.	<input type="checkbox"/>
WILKINSON, R.B.	<input type="checkbox"/>
WILSON, J.M.	<input type="checkbox"/>
ZANE, J.O.	<input type="checkbox"/>

mende EX

DeMass TX

Taylor KX

CORRES CONTROL	x	x

Reviewed for Addressee
Corres. Control RFP

6-25-93
DATE BY

Ref Ltr. #

Department of Energy

ROCKY FLATS OFFICE
P.O. BOX 928
GOLDEN, COLORADO 80402-0928

JUN 25 10 11 AM '93

JUN 23 1993

EG&G 93-DOE-07072
ROCKY FLATS PLANT
CORRESPONDENCE CONTROL

Mr. Martin Hestmark
U. S. Environmental Protection Agency, Region VIII
ATTN: Rocky Flats Project Manager, 8HWM-RI
999 18th Street, Suite 500, 8WM-C
Denver, Colorado 80202-2405

Mr. Gary Baughman
Hazardous Waste Facilities Unit Leader
Colorado Department of Health
4300 Cherry Creek Drive South
Denver, Colorado 80222-1530

Gentlemen:

This letter is transmitted to your organizations to status the progress of the Pond Water Management Interim Measures/Interim Remedial Action (IM/IRA) for the Rocky Flats Office (RFO).

On April 30, 1993, RFO received a draft portion of the Preliminary Draft Interim Measures/Interim Remedial Action Decision Document for review. Subsequently, RFO met with EG&G to review specific comments, and to refocus the scope, format, and outline to pond water management. A revised Table of Contents was subsequently submitted to RFO, and has since met with approval.

Progress continues on such items as a potential Contaminants of Concern (COC) list, summary statistics for other parameters not included in the COC list, and statistical analysis and comparisons of pond water quality data with background water quality data. RFO feels adequate effort is being made in the development of the pond water management document.

We understand that the Water Management Division at EPA, because of workload restrictions, may not be able to issue the renewal for the Rocky Flats Plant National Pollutant Discharge Elimination System (NPDES) permit at the same time the IM/IRA is scheduled to be released for public comment. DOE/RFO would like to meet with EPA to propose COCs, possible limits based on current stream standards, and monitoring requirements for the sewage treatment plant effluent to insure coordination with the IM/IRA document.


JUN 23 1997

M. Hestmark & G. Baughman
93-DOE-07072

2

We will keep you updated on the progress of the IM/IRA document. If you would like to meet to discuss the NPDES permit renewal, or have any other questions, please contact Norma Castañeda at 966-4226, or Gail Hill at 966-3424.

Sincerely,


James K. Hartman
Assistant Manager for Transition
and Environmental Restoration

cc:

J. Ciocco, EM-453.1
R. Schassburger, ERD, RFO
M. Van Der Puy, EPD, RFO
T. Lukow, WPD, RFO
J. Dion, WPD, RFO
A. Marquez, WPD, RFO
N. Castañeda, ERD, RFO
G. Hill, EPD, RFO
R. Benedetti, EG&G
E. Mende, SWD, EG&G
T. De Mass, ERM, EG&G
B. Fraser, EPA
B. Shankland, EPA
H. Ainscough, CDH